Author Index

Adler, A. J., see Crabtree, D. V. 251
Albroscheit, G., see Schulz, H. 301
Barnung, T. N.
—— and Grahl-Nielsen, O.
Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 271
Bertol, E.
——, Mari, F. and Grazia Di Milia, M.
Programmable temperature vaporizer applications in an high-resolution gas chromatographic method for the quantitation of impurities in illicit heroin 384
Boddi, V., see Heimler, D. 371
Brown, D. M.
—— and Pietrzyk, D. J.
Anion–cation separations on a mixed bed alumina–silica column 291
Carunchio, V., see Grassini-Strazza, G. 1
Cavazzutti, G., see Gagliardi, L. 433
Ćelap, M. B., see Vučković, G. 227
Chandrasekhara Rao, T.
——, Kale, V., Vijayalakshmi, P., Gangadhar, A., Subbarao, R. and Lakshminarayana, G.
Chromatographic methods for the determination of monomer, dimer and trimer fractions in dimer fatty acids 403
Chartier, F.
——, Crevel, G., Laine, B. and Sautiere, P.
High-performance liquid chromatographic separation of variants of chromosomal proteins from prokaryotes 331
Cimorelli, A., see Gagliardi, L. 433
Crabtree, D. V.
——, Adler, A. J. and Handelman, G. J.
Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in gas chromatography 251
Crevel, G., see Chartier, F. 331
Davis, B. A.
Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects 89
Demian, I.
—— and Gripshover, D. F.
Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and high-performance liquid chromatographic separation 415
Devínsky, F.
—— and Gorrod, J. W.
Pyrolysis gas–liquid chromatography of N,N-dimethylalkylamine N-oxides and their mixtures 347
Di Milia, M. Gazia, see Betol, E. 384
Erlandsson, P.
——, Isaksson, R., Nilsson, I. and Wold, S.
Chemometric approach to explain the liquid chromatographic retention of some chiral indoles on swollen microcrystalline triacetylcellulose 364
Euerby, M. R.
——, Nunn, P. B. and Partridge, L. Z.
Resolution of neuroexcitatory non-protein amino acid enantiomers by high-performance liquid chromatography utilising pre-column derivatisation with *o*-phthaldialdehyde chiral thiols. Application to ω-N-oxalyl diamino acids 407
Fukuda, A., see Onodera, S. 233
Gagliardi, L.
——, Cimorelli, A., Cavazzutti, G., Montanarella, L. and Tonelli, D.
Determination of 4-*tert.*-butylphenol and 4-*tert.*-butylcatechol in cosmetic products by reversed-phase high-performance liquid chromatography 433
Gangadhar, A., see Chandrasekhara Rao, T. 403
Girelli, A. M., see Grassini-Strazza, G. 1
Gorrod, J. W., see Devínsky, F. 347
Grahl-Nielsen, O., see Barnung, T. N. 271
Grassini-Strazza, G.
——, Carunchio, V. and Girelli, A. M.
Flat-bed chromatography on impregnated layers (Review) 1
Grazia Di Milia, M., see Bertol, E. 384
Gripshover, D. F., see Demian, I. 415
Grushka, E., see Jones, A. E. 219
Hall, G. D., see Hurst, W. J. 279
Handelman, G. J., see Crabtree, D. V. 251
Hasan, A.
——, Waterman, P. and Iftikhar, N.
The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha* 399
Heimler, D.
—— and Boddi, V.
Cluster analysis in the comparison of two-dimensional chromatograms 371
Hirayama, N., see Maruo, M. 379
Hoshino, Y., see Tanaka, A. 307
Hradec, J., see Rejšková, D. 446

Hurst, W. J.
——, Martin, Jr., R. A., Tarka, Jr., S. M. and Hall, G. D.
Authentication of cocoa in Maya vessels using high-performance liquid chromatographic techniques 279
Iftikhar, N., see Hasan. A. 399
Igarashi, K., see Onodera, S. 233
Iijima, M., see Tanaka, A. 307
Isaksson, R., see Erlandsson, P. 364
Ishikawa, T., see Okuyama, T. 390
Jones, A. E.
—— and Grushka, E.
Nature of temperature gradients in capillary zone electrophoresis 219
Juranić, G., see Vučković, G. 227
Kale, V., see Chandrasekhara Rao, T. 403
Kaneyama, N., see Okuyama, T. 390
Kikuchi, Y., see Tanaka, A. 307
Kopperschläger, G., see Naumann, M. 319
Kuwamoto, T., see Maruo, M. 379
Laine, B., see Chartier, F. 331
Lakshminarayana, G., see Chandrasekhara Rao, T. 403
Lawrence, J. F.
—— and Ménard, C.
Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by high-performance liquid chromatography with confirmation by chemical derivatization 421
Lille, Ü., see Martin, I. 339
Manners, G. D.
—— and Ralphs, M. H.
Capillary gas chromatography of *Delphinium* diterpenoid alkaloids 427
Mari, F., see Bertol, E. 384
Martin, I.
—— and Lille, Ü.
Separation and molecular weight determination of prostaglandin B_1 oligomers by size-exclusion chromatography 339
Martin, Jr., R. A., see Hurst, W. J. 279
Maruo, M.
——, Hirayama, N., Wada, H. and Kuwamoto, T.
Separation and determination of organoarsenic compounds with a microbore column and ultraviolet detection 379
Ménard, C., see Lawrence, J. F. 421
Metz, P., see Naumann, M. 319
Mhalas, J. G., see Tripathi, A. M. 442
Miyasaka, K., see Okuyama, T. 390
Montanarella, L., see Gagliardi, L. 433
Murayama, M.
——, Suzuki, M. and Takitani, S.
Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 355
Naumann, M.
——, Reuter, R., Metz, P. and Kopperschläger, G.
Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 319
Nilsson, I., see Erlandsson, P. 364
Norihide, N., see Tanaka, A. 307
Nunn, P. B., see Euerby, M. R. 407
Okuyama, T.
——, Takata, M., Takahashi, K., Ishikawa, T., Miyasaka, K. and Kaneyama, N.
High-performance liquid chromatographic analysis of naturally occurring glycosides and saponins 390
Onodera, S.
——, Igarashi, K., Fukuda, A., Ouchi, J. and Suzuki, S.
Chemical changes of organic compounds in chlorinated water. XVI. Gas chromatographic–mass spectrometric studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 233
Ouchi, J., see Onodera, S. 233
Partridge, L. Z., see Euerby, M. R. 407
Pietrzyk, D. J., see Brown, D. M. 291
Radanović, D. J., see Vučković, G. 227
Ralphs, M. H., see Manners, G. D. 427
Rama Rao, N. V., see Tripathi, A. M. 442
Rao, T. Chandrasekhara, see Chandrasekhara Rao, T. 403
Rejšková, D.
—— and Hradec, J.
Chromatographic determination of cholesteryl esters synthesized *in vitro* 446
Reuter, R., see Naumann, M. 319
Sautiere, P., see Chartier, F. 331
Schulz, H.
—— and Albroscheit, G.
Characterization of oakmoss products used in perfumery by high-performance liquid chromatography 301
Subbarao, R., see Chandrasekhara Rao, T. 403
Suzuki, M., see Murayama, M. 355
Suzuki, S., see Onodera, S. 233
Takahashi, K., see Okuyama, T. 390
Takata, M., see Okuyama, T. 390
Takitani, S., see Murayama, M. 355
Tanaka, A.
——, Iijima, M., Kikuchi, Y., Hoshino, Y. and Norihide, N.
Gas chromatographic determination of nicotinamide in meats and meat products as 3-cyanopyridine 307
Tarka, Jr., S. M., see Hurst, W. J. 279
Tonelli, D., see Gagliardi, L. 433

Tripathi, A. M.
——, Mhalas, J. G. and Rama Rao, N. V.
Determination of 2,6- and 4,6-dinitrocresols by high-performance liquid chromatography on a β-cyclodextrin bonded column 442
Vijayalakshmi, P., see Chandrasekhara Rao, T. 403
Vučković, G.
——, Juranić, N., Radanović, D. J. and Ćelap, M. B.
Effect of the central ion of octahedral transition metal complexes on their thin-layer chromatographic R_F values 227
Wada, H., see Maruo, M. 379
Walker, T. A.
Separation of simple guanidines on cation-exchange columns using indirect ultraviolet detection 438
Waterman, P., see Hasan, A. 399
Witkiewicz, Z.
Application of liquid crystals in chromatography (Review) 37
Wold, S., see Erlandsson, P. 364